

247-2000 LEDStar Ultimate Mini Accessories


HALF TUBE COWL (S)

Description: LEDStar Mini Spotlight
Half Tube Cowl

Material: Anodised Aluminium

Part Number: 247-2030-f
f = Finish (See finish table)

Supplied with fixing screws





FULL TUBE COWL (S)

Description: LEDStar Mini Spotlight
Full Tube Cowl

Material: Anodised Aluminium

Part Number: 247-2031-f
f = Finish (See finish table)

Supplied with fixing screws



MOUNT TUBE (R)


Description: LEDStar Mini Recessed
Mount Tube

Material: Hard Anodised Aluminium

Part Number: 247-1629-5

Fittings supplied assembled with rubber o-rings on Front Cap which grip and hold fitting within the Mount Tube.

Recommended use for casting into concrete and in soft materials.



EYELID COWL (R)


Description: LEDStar Mini Recessed Eyelid Cow

Material: Anodised Aluminium

Part Number: 247-1696-f
f = Finish (See finish table)

Supplied separately from fitting.

Attaches to LEDStar1 with Adhesive Ring.



FINISH	PTFE White RAL 9016	PTFE Black RAL 9011	Special RAL/BS	Black Anodised	Hard Anodised	Bronze Anodised	Satin Silver Anodised
Code	1	2	3	2A	5	5C	9

(S) = Suitable for Spotlight

(R) = Suitable for Recessed


247-2000 LEDStar Ultimate Mini Accessories

WINDOW REVEAL STIRRUP (S)

Description: LEDStar Midi Window Reveal Stirrup is designed for mounting to ledges on façades of building.

Material: Anodised Aluminium

Part Number: 247-20471-f
f = Finish (See finish table)




EXTENDED STIRRUP (S)

Description: LEDStar Midi Extended Stirrup is designed to allow fitting to point directly vertically when using plug in connector.

Material: Anodised Aluminium

Part Number: 247-20472-f
f = Finish (See finish table)




MOUNTING SPRING (R)

Description: LEDStar Mini Recessed Mounting Spring

Material: Stainless Steel Spring

Part Number: 247-1648-4

Supplied with fixing screw and washer.



247-2000 LEDStar Ultimate Mini Accessories

GROUND SPIKE (S)


Description: M5 Rotation Stop Ground Spike. Available in various heights.

Material: Stainless Steel and Polyester Black Paint

Supplied with bolt and fixings.

Part Number: 3127XY-01-2

Amount of tube in ground	Amount of tube above ground
200mm..... X = 2	100mm..... Y = 1
300mm..... X = 3	200mm..... Y = 2
400mm..... X = 4	300mm..... Y = 3
	500mm..... Y = 5




COMPACT GROUND SPIKE (S)

Description: M5 Ground Spike (200mm)

Material: Stainless Steel and Polyester Black Paint

Part Number: 450024-4

Supplied with bolt and fixings.



EXTENDED ARM (S)

Description: M5 Fixed Extended arm mounted to wall. Available in Custom Lengths

Material: Aluminium


Part Number: 409907-0f(350) 350mm Rod

f = Finish

1 = PTFE White RAL 9016

2 = PTFE Black RAL 9011

3 = Custom RAL/BS



SIGN MOUNT (S)

Description: M5 Adjustable sliding wall mounted arm that conceals cable through the arm.

Material: Galvanised Steel and Polyester Paint

Part Number: 95090-1f(500) with 500mm tube


Alternate tube lengths available to special order up to 600mm

f = Finish

1 = PTFE White RAL 9016

2 = PTFE Black RAL 9011

3 = Custom RAL/BS



247-2000 LEDStar Ultimate Mini Accesso-

EDGE CLAMP (S)

Description: M5 mount with Adjustable Clamp to over edges, such as window cils and countertops.

Material: Galvanised Steel and Polyester Paint


Part Number: 31267-f

f = Finish

1 = PTFE White RAL 9016

2 = PTFE Black RAL 9011

3 = Custom RAL/BS





TREE STRAP (S)

Description: M5 mount with 1.5m rubberised, tree friendly strap, to mount to tree branches or posts.

Material: Stainless Steel Mount,
Rubberised Strap

Part Number: 247-1140-2

Supplied with fixings



STAINLESS STEEL FLEXIBLE CONDUIT (S)

Description: Stainless Steel Conduit fits over the LEDStar cable to protect it from small animals and harsh environments. Factory fitted.

Part Number: 45033004-A9-##-4

= Length up to 2m Max e.g. 1.5=1.5m

Modify LEDStar luminaire code for cable gland to suit conduit:
4503xxx4-xxx-xx-xx

NB. Suitable for Spotlight & Recessed versions only.




DICHROIC GLASS FILTER (S) (R)

Description: Coloured Dichroic Glass placed in front of the LED to give different coloured effects. Range of colours available. Please Enquire.

PartNumber: 247-1615-###

= Code specific to glass colour.

Glasses available to match most Lee filter colour references, please enquire




247-2000 LEDStar Ultimate Mini Accessories

HONEYCOMB LOUVRE (S) (R)

Description: 5mm Honeycomb Louvre is placed just behind glass in the front to reduce glare.

PartNumber: 247-1621-2



OPTIC DIFFUSER CLIP (S) (R)

Description: Clip with holographic diffuser that can be easily interchanged to create various beam angles.
Comes in the following angles: 12°, 35°, 70°, 20° Tilt and Linear Spread

Part Number: 12° Diffuser + Clip on Holder	247-1660-12
35° Diffuser + Clip on Holder	247-1660-35
70° Diffuser + Clip on Holder	247-1660-70
20°/20° Tilt Diffuser + Clip on Holder	247-1660-20T
Linear spread diffuser with clip	247-1660-LS
Loose Linear spread diffuser for clip	247-1666-LS



HALF MOON RECESSED FRONT ASSEMBLY (R)

Description: 20°/20° Tilt Beam Angle Optic with Half Moon Glass Front assembly.
Greatly reduces glare for when lighting pathways and stairwells.

Material: Anodised Aluminium



Part Number: 247-16081-f
f = Finish (See finish table)

OR

Specify as part of luminaire:
450810x-xxx-20TH-x



20° tilt diffuser with half of glass blacked to mask forward light spill.



USER WIREABLE IP68 CONNECTOR (S) (R)

Description: Field installable M16 IP68 connector.

- To suit 2 core cable Ø4.5mm - Ø6.5mm.
- Solder pins for 0.75mm²

Connector Material: Black Nylon

Cable: Over moulded cable 2x0.75mm² A05RN-F


Part Number: 450045-0

OR

Specify as part of luminaire:
45008xx2-xxx-x-xx supplied with cable assembly (No Dust Cap)

Fitting Dust Cap Number: 450046-0

Cable Dust Cap Number: 450047-0



Dust Cap

247-2000 LEDStar Ultimate Mini Accessories

FIXED CABLE CONNECTOR (S) (R)

Description: LEDStar Cable Connector IP67

Material: Black Nylon

Fully Assembled Dimensions: Ø23mm x 70mm

Cable Capacity: Ø5.5 - 12mm 0.5mm² - 4.0mm² Conductor

Part Number: 450041-1



PLUG & SOCKET CABLE CONNECTOR (S) (R)

Description: LEDStar Cable Connector IP67

Material: Black Nylon

Fully Assembled Dimensions: Ø15mm x 95mm

Cable Capacity: Ø4 - 8mm 0.25mm² - 1.5mm² Conductor

Part Number: Plug & Socket Set	450141
Plug Only	450144
Socket Only	450145
Dust Cap for Plug	450147
Dust Cap for Socket	450146




SPLITTER BOX (S) (R)

Description: Exterior IP66 box to split power from driver to multiple LEDStars.

Part Number: 42085-10 94x94x57 - to suit up to 4 outputs
42086-10 130x94-57 - to suit up to 8 output

Use with encapsulating gel for IP68 protection - 420ml pack
(Suits 1 x medium box or 2 x small)

Part Number: 194-316



INGROUND CHAMBER (S) (R) (WR) (W)

Description: Provides accessible location in landscape to home house IP67/IP68 control gear & wiring accessories.
Adequate drainage required

Part Number: 177-100 Round Large - Ø225mm x 250mm

